Notice of Allowability	Application No.	Applicant(s)
	10/644,740	BRUDER ET AL.
	Examiner	Art Unit
	David V Bruce	2882
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	S (OR REMAINS) CLOSED in this ap) or other appropriate communication RIGHTS. This application is subject t	plication. If not included not will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>Application of 21 Aug</u>	g 03.	
2. The allowed claim(s) is/are <u>1-45</u> .		
3. The drawings filed on 21 August 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority unanal All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminificant and subminificant and subminificant application (PTO-152) which give 	re been received. re been received in Application No couments have been received in this r of this communication to file a reply MENT of this application. mitted. Note the attached EXAMINER	national stage application from the complying with the requirements
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 20031231 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview Summary Paper No./Mail Da /08), 7. Examiner's Amend	ate

Application/Control Number: 10/644,740

Art Unit: 2882

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: the claims address a method and computer program for either window-controlled filtering of CT images where a transfer function relating window width and sharpness is provided and sharpness automatically calculated from the data, the window width, and the transfer function, or retrospectively filtering CT image stacks by determining an image characteristic, calculating a changed image characteristic, and visualizing the image stack with the changed image characteristic. This feature is neither shown nor fairly suggested in the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kruger *et al.* US 4,456,926 shows retrospective fluoroscopic filtering, Weiman *et al.* US 4,979,136 shows majority filtering, and Peña US 6,801,646 B1 shows filtering of raw CT data.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David V Bruce whose telephone number is (571) 272-2487. The examiner can normally be reached on M - Th and alt Fri 8:00 - 4:30 subject to I-Flex.

Art Unit: 2882

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward J Glick can be reached on (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David V Bruce Primary Examiner Art Unit 2882

dvb